
## AMENDMENTS TO THE CLAIMS

## This listing of claims will replace all prior versions and listings of claims in the application

## 1. (Currently amended) A compound of Formula (1)



or a pharmaceutically acceptable salt or <u>hvdrate\_solvate-thereof</u> wherein

 $R^1$  is H,  $C_{1-6}$ alkyl,  $C_{1-6}$ haloalkyl,  $C_{1-6}$ alkoxy,  $C_{1-6}$ thioalkyl, cyano, halo,

 $C_{3-7}$ cycloalkyl, - $C_{1-6}$ alkylene- $C_{3-7}$ cycloalkyl,  $C_{2-6}$ alkenyl or  $C_{3-6}$ alkynyl;

R<sup>2</sup> is C(D)NR<sup>3</sup>R<sup>4</sup>, D'-D''(R<sup>3</sup>)(R<sup>4</sup>) or CH<sub>2</sub>N R<sup>3</sup>R<sup>4</sup>

D' is CH2 or a bond;

D" is C, C-OH or CH

wherein

said C is attached to R<sup>3</sup> by a single or double bond; said C is attached to R<sup>4</sup> by a single or double bond;

provided that

C is not attached to both R<sup>3</sup> and R<sup>4</sup> by double

bonds;

said CH is attached to R<sup>3</sup> and R<sup>4</sup> by single bonds; said C of C-OH is attached to R<sup>3</sup> and R<sup>4</sup> by single bonds;

D is O or S:

R<sup>3</sup> and R<sup>4</sup> are each independently selected from the group consisting of H, C<sub>1</sub>.

6alkyl,  $C_{1-6}$ haloalkyl,  $-C_{1-6}$ hydroxyalkyl,  $-C_{1-4}$ alkylene- $O-C_{1-4}$ alkyl,  $-C_{1-3}$ alkylene- $C_{1-6}$ thioalkyl,  $-C_{2-6}$ alkylidene- $(C_{1-4}$ alkoxy)<sub>2</sub>,  $C_{3-6}$ 

7cycloalkyl, - $C_{1-6}$ alkylene- $C_{3-7}$ cycloalkyl,  $C_{2-6}$ alkenyl,  $C_{3-6}$ alkynyl, - $C_{1-6}$ alkylene-CN, - $C_{1-6}$ alkylene-heterocyclo and - $C_{1-6}$ alkylene-aryl;

wherein said aryl of said -C<sub>1-6</sub>alkylene-aryl is optionally substituted with one to three of the same or different substituents selected from the group consisting of fluoro, chloro, bromo, cyano, nitro, C<sub>1-4</sub>alkyl and C<sub>1-3</sub>alkoxy;

Oľ

R<sup>3</sup> and R<sup>4</sup> together with the nitrogen to which they are attached form a five or six-membered heterocycle, said heterocycle optionally containing one additional heteroatom selected from the group consisting of N, S and O; and


said heterocycle optionally substituted with one or more groups selected from the group consisting of C<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkoxy, aryl, -C<sub>1-4</sub>alkylene-aryl, pyridyl and halogen;

wherein said aryl of said -C<sub>1-4</sub>alkylene-aryl is optionally substituted with one to three of the same or different substituents selected from the group consisting of fluoro, chloro, bromo, cyano, nitro and C<sub>1-3</sub>alkoxy;

X is C;

Y is C;

A is



wherein

X<sup>1</sup> is N and is attached to X; Y<sup>1</sup> is N and is attached to Y; G is



wherein

Y<sup>2</sup> is N, CH, CH<sub>2</sub>, C(S), CR<sup>5</sup> or CHR<sup>5</sup> and is attached to Y<sup>1</sup>; J is CH, CH<sub>2</sub>, C(S), CR<sup>6</sup> or CHR<sup>6</sup>; Z<sup>1</sup> is CH, CH<sub>2</sub>, C(S), CR<sup>7</sup> or CHR<sup>7</sup> and is attached to Z; wherein

R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are each independently selected from the group consisting of -CN, -C<sub>1-4</sub>alk(en)ylene-CN, halo, C<sub>1-6</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>3-6</sub>alkynyl, C<sub>1-6</sub>haloalkyl, aryl, -C<sub>1-4</sub>alk(en)ylene-aryl, -C<sub>1-4</sub>alk(en)ylene-heterocyclo, heterocyclo, -C<sub>1-4</sub>alk(en)ylene-amino, -C<sub>1-4</sub>alkylene-amino- C<sub>1-4</sub>alkyl, aryl-amino, -amino-(C<sub>1-6</sub>alk(en)yl)<sub>1-2</sub>, -amino-aryl, -amino-heterocyclo, C<sub>1-6</sub>alkoxy, -O-aryl and -O-heterocyclo;

Z is N-V, wherein V is phenyl, 2-pyridyl or 3-pyridyl substituted with two to three of the same or different substituents selected from the group consisting of  $C_{1-4}$  alkyl,  $C_{1-4}$  alkoxy,  $C_{1-6}$  thioalkyl,  $C_{1-4}$  haloalkyl, halogen,  $N(C_{1}-C_{4}$  alkyl)<sub>2</sub> and CN.

2. (Previously presented) A compound according to claim 1 wherein V is phenyl or 3-pyridyl and is substituted with two to three of the same or different substituents selected from the group consisting of C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, C<sub>1-6</sub>thioalkyl, C<sub>1-4</sub>haloalkyl, halogen, N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub> and CN; said substituents attached at the 2, 4 or 6-positions of said phenyl or said 3-pyridyl.

- 3. (previously presented) A compound according to claim 1 wherein V is 2-pyridyl and is substituted with two of the same or different substituents selected from the group consisting of C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, C<sub>1-6</sub>thioalkyl, C<sub>1-4</sub>haloalkyl, halogen, N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub> and CN; said substituents attached at the 3 and 5-positions of said 2-pyridyl.
- 4. (original) A compound according to claim 1 wherein R<sup>1</sup> is C<sub>1-6</sub>alkyl or C<sub>1-6</sub>haloalkyl.
- 5. (original) A compound according to claim 1 wherein R<sup>1</sup> is methyl or trifluoromethyl.
- 6. (original) A compound according to claim 1 wherein R<sup>2</sup> is C(D)NR<sup>3</sup>R<sup>4</sup> and D is O.
- 7. (original) A compound according to claim 1 wherein R<sup>2</sup> is CH<sub>2</sub>N R<sup>3</sup>R<sup>4</sup>.
- 8. (Currently amended) A compound according to claim 1 wherein R<sup>2</sup> is D'- D''(R<sup>3</sup>)(R<sup>4</sup>), <del>DD'</del> is a bond and D'' is C-OH.
- 9. (Currently amended) A compound according to claim 1 wherein R<sup>2</sup> is D'-D''(R<sup>3</sup>)(R<sup>4</sup>), DD' is a bond and D'' is C or CH.
- 10. (original) A compound according to claim 1 wherein R³ and R⁴ are each independently selected from the group consisting of H, C<sub>1-6</sub>alkyl, C<sub>1-6</sub>haloalkyl, -C<sub>1-6</sub>hydroxyalkyl, -C<sub>1</sub>. 4alkylene-O-C<sub>1-4</sub>alkyl, -C<sub>1-3</sub>alkylene-C<sub>1-6</sub>thioalkyl, -C<sub>2-6</sub>alkylidene-(C<sub>1-4</sub>alkoxy)<sub>2</sub>, C<sub>3-7</sub>cycloalkyl, -C<sub>1-6</sub>alkylene-C<sub>3-7</sub>cycloalkyl, C<sub>2-6</sub>alkenyl, C<sub>3-6</sub>alkynyl and -C<sub>1-6</sub>alkylene-CN.
- 11. (original) A compound according to claim 1 wherein R<sup>3</sup> and R<sup>4</sup> together with the nitrogen to which they are attached form a five or six-membered heterocycle.
- 12. (original) A compound according to claim 1 wherein V is 2, 4, 6-trimethylphenyl.
- 13. (original) A compound according to claim 1 wherein V is 2,4-dichlorophenyl.

JUL.10.2006

- 14. (original) A compound according to claim 1 wherein R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are each independently selected from the group consisting of halogen, C1-6alkyl, C1-6haloalkyl, benzyl, phenyl, C1-3alkyl-imidazolyl, C1-3alkyl-indolyl and C1-3alkyl-pyridyl.
- 15. (original) A compound according to claim 1 wherein Y<sup>2</sup> is CH<sub>2</sub>, J is CH<sub>2</sub> and Z<sup>1</sup> is CH<sub>2</sub>,
- 16. (original) A compound according to claim 1 wherein R<sup>1</sup> is CN or CF<sub>3</sub> and Y<sup>2</sup> is CH<sub>2</sub>. J is  $CH_2$  and  $Z^1$  is  $CH_2$ .
- 17. (canceled)
- 18. (canceled)
- 19. (Currently amended) A compound or pharmaceutically acceptable salt or hydrate of solvate thereof selected from the group consisting of
  - Cyclopropylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-
  - 5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
  - 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3carboxylic acid ethyl ester:
  - 2-Ethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid ethyl ester;
  - [2-Trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3yl]-methanol;
  - [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2a]pyrimidin-3-yl]-methanol;
  - 2-Ethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid cyclopropylmethyl-propyl-amide;
  - 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3carboxylic acid pentafluorophenyl ester;
  - 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3carboxylic acid phenethyl-propyl-amide;

- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid cyclobutylmethyl-propyl-amide;
- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid bis-cyclopropylmethyl-amide;
- Cyclopropylmethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- 3-(3,6-Dihydro-2H-pyridin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-Thiomorpholin-4-ylmethyl-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-Piperidin-1-ylmethyl-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-(2-Methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-(4-Methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo [1,2-a] pyrimidine;
- Benzyl-methyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Methyl-phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Diallyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Dipropyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Butyl-methyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Butyl-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Ethyl-(2-methyl-allyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- 3-(3-Phenyl-pyrrolidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-(2,4,6-trimethyl-phenyl)-1,6,7,8-(2,4,6-tr

tetrahydro-imidazo[1,2-a]pyrimidine;

Cyclopropylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclopropylmethyl-(2,2,3,3,3-pentafluoro-propyl)-[2trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclopropylmethyl-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclobutylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclobutylmethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

Propyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

(2,2,3,3,3-Pentafluoro-propyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

Phenethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Phenethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Ethyl-phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Benzyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Benzyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

(2-Cyclopropyl-ethyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

- USSN 10/771,766 Page 9 of 16
- (2-Cyclopropyl-ethyl)-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (2-Cyclopropyl-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (2-Cyclopropyl-ethyl)-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (4-Fluoro-benzyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Fluoro-benzyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (4-Chloro-benzyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-amine:
- Allyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2a]pyrimidin-3-ylmethyl]-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-propyl-amine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-morpholin-4-ylmethyl-2-triffuoromethyl-5,6,7,8tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-thiomorpholin-4-ylmethyl-2-trifluoromethyl-5,6,7,8tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-piperidin-1-ylmethyl-2-trifluoromethyl-5,6,7,8tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-(2-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-(3-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-(4-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5.6.7.8-tetrahydro-imidazo[1,2-a]pyrimidine;
- Diallyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-

a]pyrimidin-3-ylmethyl]-amine;

Butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl-methyl-amine;

Benzyl-butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-(2-methyl-allyl)-amine;

Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-methyl-amine;

Butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-dipropyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-methoxy-ethyl)-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-(2,2,2-trifluoro-ethyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-ethyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-(2,2,2-trifluoro-ethyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-(2,2,3,3,3-pentafluoro-propyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-(3,3,3-trifluoro-propyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2,2,3,3,3-pentafluoro-propyl)-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-phenethyl-(3,3,3-trifluoro-propyl)-amine;

- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-phenethyl-(2,2,2-trifluoro-ethyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-phenethyl-amine:
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-phenethyl-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-ethyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-propyl-amine;
- Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-(2,2,2-trifluoro-ethyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(4-fluoro-benzyl)-(3,3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- Allyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(4-fluoro-benzyl)-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3-fluoro-benzyl)-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-

- a]pyrimidin-3-ylmethyl]-(3-fluoro-benzyl)-propyl-amine;
  [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-(2,2,2-trifluoro ethyl)-amine;
  [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(4-nitro-benzyl)-propyl-amine;
  [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-ethyl-amine;
  3-(2-Benzyl-pyrrolidin-1-ylmethyl)-8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine; and
  3-(2-Benzyl-pyrrolidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine.
- 20. (Previously presented) A method of treating depression and anxiety comprising the administration of a pharmaceutical composition comprising a compound according to claim 1.